



Tubulars

Stock List

I. Drill Pipes

Item No	Description	Condition	Location
1	<p>5-7/8" VAM CDS Drill Pipe 23.40ppf, S-135, Range 3 c/w VAM CDS Pin x Box Connections, TK-34P IPC and OTW-12 applied to Box Tool joints by proud application Tool Joint: 7" OD x 4" ID x 14" Pin x 17" Box, 130 KSI</p> <p><i>Material was manufactured by VAM Drilling in France in accordance with NS-1 latest revision. Full material traceability package included with sale as well as 10% NS-2 receipt inspection and VTI on full balance carried out by NOV Tuboscope ~Aberdeen division.</i></p>	New	Aberdeen
2	<p>5-7/8" VAM CDS Landing String 57.15ppf, 130 KSI, Range 3 c/w VAM CDS Pin x Box Connections, TK-34P IPC, no hardbanding Tool Joint: 7" OD x 4" ID x 20" Pin x 17" Box, 130 KSI</p> <p><i>Material was manufactured by VAM Drilling in France in accordance with NS-1 latest revision. Full material traceability package included with sale as well as NS-2 inspection and VTI on full balance carried out by NOV Tuboscope ~Aberdeen division.</i></p>	New	Aberdeen
3	<p>5-7/8" Tenaris NKK Drill Pipe 23.40ppf, S-135, Range 2 c/w DSTJ™ 5-1/2" FH Pin x Box Connections, TK-34P IPC and raised application of Duraband NC hardbanding on Box tong space Tool Joint: 7" OD x 4" ID x 11-1/2" Pin x 16" Box, 130 KSI</p> <p><i>Material was manufactured by Tenaris NKK in Japan in accordance with API Spec 7 and NS-1. Inspected in accordance to NS-2 with Inspection Reports from AMOSCO ~ Angola.</i></p>	Premium	Aberdeen



Tubulars

Stock List

Item No	Description	Condition	Location
4	5-1/2" Grant Prideco HT55 Drill Pipe 24.70ppf, S-135, Range 2 c/w HT55 Connections, TCS TI Hardbanding with Smoothedge Feature Tool Joint: 7" OD x 3-3/4" ID x 12" Pin x 17" Box <i>Material was manufactured by Grant Prideco in USA in accordance with API Spec 5D. Material traceability package included with sale. Inspected in accordance with NS-2 with inspection report from Tuboscope ~ Aberdeen.</i>	Premium	Aberdeen
5	5-1/2" Grant Prideco HT55 Drill Pipe 24.70ppf, S-135, Range 2 c/w HT55 Connections, TCS TI Hardbanding with Smoothedge Feature Tool Joint: 7" OD x 4" ID x 12" Pin x 17" Box <i>Material was manufactured by Grant Prideco in USA in accordance with API Spec 5D. Inspected in accordance with NS-2 with inspection report from Tuboscope ~ Aberdeen.</i>	Premium	Aberdeen
6	5-1/2" Grant Prideco HT55 Landing String 38ppf, S-135, Range 2 c/w HT55 Connections, Hardbanded <i>Material was manufactured by Grant Prideco in USA. Inspected in accordance with NS-2 with inspection report from Tuboscope ~ Aberdeen.</i>	Premium	Aberdeen
7	5" Grant Prideco Drill Pipe 19.50ppf,S-135, Range 2 c/w NC50 Connections, Hardbanded and IPC by Tuboscope Tool Joint: 6-5/8" OD x 3-1/4" ID <i>Material was manufactured by Grant Prideco in USA. Inspected in accordance with DS-1 Cat 5.</i>	Premium	Dubai

HOS

Tubulars

Stock List

Item No	Description	Condition	Location
8	3-1/2" VAM Drill Pipe 15.50ppf, G-105, Range 2, c/w NC 38 Pin x Box Connections, TK-34P IPC and TCS TI raise hardbanding on pin and box tool joints. Tool Joint: 5" OD x 2-7/16" ID x 10" Pin x 12-1/2" Box <i>Material was manufactured by VAM Drilling in France in accordance with API 5DP, Material traceability package included with sale.</i>	New/Premium	Abu Dhabi
9	3-1/2" Grant Prideco Drill Pipe 15.50ppf, S-135, Range 2, c/w NC 38 Pin x Box Connections, Handbanded Tool Joint: 5" OD x 2-7/16" ID <i>Material was manufactured by Grant Prideco in USA in accordance with API 5DP.</i>	Premium	Dubai

www.helixoil.com

tubulars@helixoil.com

Helix Oilfield Services Ltd
Crombie House, 72-90 Crombie Rd,
Aberdeen AB11 9QP



IADC
MEMBER



DECOM
North Sea



Tubulars

Stock List

II. Heavy Weight Drill Pipes

Item No	Description	Condition	Location
10	5-1/2" Grant Prideco Heavy Weight Drill Pipe Range 2 c/w HT55 Connections, Hardbanded and Plastic Coated by Tuboscope <i>Material was manufactured by Grant Prideco in USA. Inspected in accordance with NS-2 with inspection report from Tuboscope ~ Aberdeen.</i>	Premium	Aberdeen / Malta
11	5" Grant Prideco Heavy Weight Drill Pipe Range 2 c/w NC50 Connections <i>Material was manufactured by Grant Prideco in USA.</i>	Premium	Dubai
12	3-1/2" VAM Heavy Weight Drill Pipe Range 2 c/w NC 38 (3-1/2" IF) Pin x Box Connections, TCS Ti hardbanding on pin and box tooljoints. Tool Joint: 5" OD x 2-1/4" ID x 27" Pin x 25" Box <i>Material was manufactured by VAM Drilling in France in accordance with API Spec 7, Material traceability package included with sale.</i>	New	Abu Dhabi

www.helixoil.com

tubulars@helixoil.com

Helix Oilfield Services Ltd
Crombie House, 72-90 Crombie Rd,
Aberdeen AB11 9QP



IADC
MEMBER



DECOM
North Sea

HOS

Tubulars

Stock List

III. Drill Collars

Item No	Description	Condition	Location
13	9-1/2" VAM Spiral Drill Collar c/w 7-5/8" REG Connections <i>Material was manufactured by VAM Drilling in France in accordance with API Spec 7.1 and NS-1. Inspected in accordance with NS-2 with inspection report from Tuboscope ~ Aberdeen.</i>	New	Aberdeen
14	4-3/4" VAM Spiral Drill Collars c/w NC 35 Connections <i>Material was manufactured by VAM Drilling in France in accordance with API Spec 7, Material traceability package included with sale.</i>	New	Abu Dhabi

www.helixoil.com

tubulars@helixoil.com

Helix Oilfield Services Ltd
Crombie House, 72-90 Crombie Rd,
Aberdeen AB11 9QP



IADC
MEMBER



DECOM
North Sea



Tubulars

Stock List

IV. Tubing

Item No	Description	Condition	Location
15	5-1/2" Vacuum Insulated Tubing 17ppf, L80 c/w 4-1/2" TSH CS Connections, 12.75lbs 12CR85 Internal Liners RTS-8 VIT (with Pin x Box Crossovers and Connections Lift Nubbins) <i>With VTI report from Tuboscope ~ Aberdeen.</i>	Premium	Aberdeen
16	4-1/2" Vacuum Insulated Tubing 11.6ppf, L80 c/w 3-1/2" TSH CS Connections, 9.2lbs 13CR85 Internal Liners RTS-8 VIT (with Pin x Box Crossovers and Connections Lift Nubbins) <i>With VTI report from Tuboscope ~ Aberdeen.</i>	Premium	Aberdeen
17	4-1/2" Tubing 15.50ppf, L80, Range 2, c/w Hydril 533 Connections <i>Inspected in accordance with API 5CT with Inspection Reports from NOV Tuboscope Abu Dhabi.</i>	Premium	Abu Dhabi
18	4-1/2" Tubing 24.00ppf, T95, Range 2, c/w BTS-4 (PH4) Connections <i>Material was manufactured by Texas Steel Conversion in Houston in accordance with API Spec 5CT and PSL-2. Material traceability package included as with sale as well as Inspection reports from Hunting Energy Services ~ Cape Town.</i>	New	Abu Dhabi

HOS

Tubulars

Stock List

Item No	Description	Condition	Location
19	3-1/2" Tubing 15.80ppf, T95, Range 2, c/w WTS-6 (PH6II+) Connections	New / Premium	Abu Dhabi

*Material was manufactured by Texas Steel Conversion in Houston in accordance with API Spec 5CT and **PSL-2**.
Material traceability package included as with sale as well as Inspection reports from Hunting Energy Services ~ Cape Town.*

www.helixoil.com

tubulars@helixoil.com

Helix Oilfield Services Ltd
Crombie House, 72-90 Crombie Rd,
Aberdeen AB11 9QP



IADC
MEMBER



DECOM
North Sea



Vacuum Insulated Tubing

Package List

Description
5 1/2" 17# L80 C/W 4 1/2" 12.75# 12CR85 Internal Liner RTS-8
4 1/2" 11.6# L80 C/W 3 1/2" 9.2# 13CR85 Internal Liner RTS-8

Crossover

OD (Inch)	Connection (1)	Connection (2)	Length (ft)
3.125	2 3/8" EUE Box	2 7/8" EUE Pin	2.13
4.000	3 1/2" TSH CS Box	3 1/2" TSH 533 Pin	2.70
4.500	2 7/8" EUE Pin	3 1/2" TSH PH6 Pin	1.10
4.500	3 1/2" NUE Box	4 1/2" New VAM Pin	1.94
4.500	3 1/2" NUE Pin	4 1/2" New VAM Pin	1.95
4.500	3 1/2" TSH CS Box	3 1/2" TSH PH6 Pin	2.71 – 2.74
4.500	3 1/2" TSH PH6 Box	3 1/2" NUE Pin	1.83 – 1.85
4.500	3 1/2" TSH PH6 Box	MFG Pin	0.90
4.875	4 1/2" New VAM Box	3 1/2" New VAM Pin	2.22
5.000	3 1/2" TSH 533 Box	4 1/2" TSH CS Pin	2.74 – 2.79
5.000	3 1/2" TSH PH6 Box	4 1/2" JFF BEAR Pin	1.56
5.000	4 1/2" TSH CS Box	3 1/2" TSH CS Pin	2.67 – 2.78
5.000	4 1/2" VAM TOP HT Box	4 1/2" New VAM Pin	2.67
5.500	4 1/2" TSH CS Box	4 1/2" TSH PH4 Pin	2.62
5.500	4 1/2" TSH PH4 Box	4 1/2" TSH CS Pin	2.78
5.625	4 1/2" TSH CS Box	4 1/2" TSH PH4 Pin	2.63
5.625	4 1/2" TSH PH4 Box	4 1/2" TSH CS Pin	2.75 – 2.77
6.125	5 1/2" New VAM Box	4 1/2" TSH CS Pin	2.80 – 2.83
6.500	NC50 Box	3 1/2" TSH CS Pin	2.70 – 2.75
6.500	NC50 Box	4 1/2" TSH CS Pin	2.77

Pup Joint

OD (Inch)	Connection (1)	Connection (2)	Length (ft)
3.500	3 1/2" NUE Box	3 1/2" NUE Pin	6.03'
3.500	3 1/2" NUE Box	3 1/2" NUE Pin	6.08
3.500	3 1/2" NUE Pin	3 1/2" NUE Pin	5.63

Lift Nubbin

OD (Inch)	Connection	Length (ft)
6.000	3 1/2" TSH CS Pin	0.34
6.750	4 1/2" TSH CS Pin	0.34

HOS

Small Rotary Accessories

Manufactured in accordance with NS-1, API Spec 7-1 c/w documentation

Item No	Description
1	5-1/2" Body BOP Test Tool – NC50 Box x HT55 Pin
2	6-5/8" Reg Box x 7-5/8" Reg Pin Crossover Sub
3	7-1/4" X 5" Crossover Sub - NC50 Box x 3-1/2", 12.8 lbs PH6 Pin
4	8-5/8" Reg Box x 7-5/8" Reg Pin Crossover Sub - 29ft Long
5	9-1/2" Crossover Sub - 7-5/8" Reg Box x 7-5/8" Reg Box
6	HT 55 Box x 6-5/8" Full Hole Pin Crossover Sub
7	HT 55 Box x 6-5/8" Reg Pin Crossover Sub
8	HT 55 Box x 7-5/8" Reg Pin Crossover Sub
9	HT 55 Box x NC50 Pin Crossover Sub
10	Steel Bottleneck Crossover Sub c/w 6 5/8" Reg Box X HT55 Pin

Manufactured in accordance with NS-1, API Spec 7-2 c/w documentation

Item No	Description
11	6-5/8" Full Hole Box X 6-5/8" Reg Pin Crossover Sub
12	6-5/8" Full Hole Crossover c/w Boreback x 7-5/8" Reg Pin
13	6-5/8" Full Hole Crossover c/w Boreback x HT55 Pin

Sold as seen

Item No	Description	Condition
14	4-1/2" Fibreglass Tubing	Premium

www.helixoil.com

tubulars@helixoil.com

Helix Oilfield Services Ltd
Crombie House, 72-90 Crombie Rd,
Aberdeen AB11 9QP



IADC
MEMBER



DECOM
North Sea