



PRESSURE CONTROL EQUIPMENT

Stock Overview

I. HYDRIL 11" 20,000 PSI HP/HT BOP SYSTEM

Manufactured and repaired by OEM with Third Party Certification valid until 2023 in accordance with API 16A for drill through equipment, API 6A for valves and adapters, API 16D for hydraulic control system, NACE MR01-75 for H2S exposure, ABS CDS or DNV GL OS-E101 and Norsok D-001 and D-002 with API Monogram. Databook available upon request.

Item No	Description
1	11" 15,000 psi Hydril GX Annular BOP
2	11" 15,000 psi x 13 5/8" 15,000 psi Annular Adapter
3	11" 20,000 psi Hydril Dual RAM BOP
4	11" 20,000 psi Rams to Suit <i>(Multiple sizes available)</i> Tubing Rams Hanging Pipe Rams Pipe Rams Shear Rams
5	Valves 2 "9" /"16" " 20,000 psi Manual and Hydraulic Gate Valves 2 "9" /"16" " 20,000 psi Dual Block Valves – Manual + Hydraulic 2 "9" /"16" " 20,000 psi Check and Choke Valves 4 "1" /"16" " 15,000 psi Hydraulic Gate Valves 3 "1" /"16" " 15,000 psi Manual Gate Valves
6	20,000 psi Hydraulic Choke and Kill Manifold
7	20,000 psi FMC / NOV Flow Iron Complete Package

II. CAMERON TYPE 'TL' 18-3/4" 5,000 PSI BOP SYSTEM

Manufactured and repaired by OEM with Third Party Certification valid until 2022 in accordance with API 16A for drill through equipment, API 6A for valves and adapters, NACE MR01-75 for H2S exposure, DNV GL OS-E101 and Norsok D-001 and D-002 with API Monogram. Databook available upon request.

Item No	Description
1	18 3/4" 5,000 psi Cameron DL Annular BOP
2	18 3/4" 5,000 psi Cameron Double TL RAM BOP



PRESSURE CONTROL EQUIPMENT

Stock Overview

3	18 3/4" 5,000 psi Cameron Single TL RAM BOP
4	18 3/4" 5,000 psi Cameron Drilling Spool
5	18 3/4" 5,000 psi Rams to Suit (Multiple sizes available) Pipe Rams VBRs Double V Shear Rams (DVS) Flex Packer
6	Valves 3 1/8 " 5,000 psi Manual Gate Valves 3 1/8 " 5,000 psi Hydraulic Double Acting Gate Valves 3 1/8 " 5,000 psi Check Valves <i>Any valves and crossovers can be supplied</i>

III. CAMERON TYPE 'U' 13-5/8" 10,000 PSI BOP SYSTEM

Manufactured by OEM with Third Party Certification valid until 2023 in accordance with API 16A for drill through equipment, API 6A for valves and adapters, NACE MR01-75 for H2S exposure, DNV GL OS-E101 with API Monogram. Databook available upon request.

Item No	Description
1	13 5/8" 5,000 psi Shaffer Annular BOP
2	13 5/8" 10,000 psi Cameron Single U RAM BOP
3	13 5/8" 10,000 psi Cameron Double U RAM BOP
4	13 5/8" 10,000 psi Rams to Suit (Multiple sizes available) Fixed / Pipe Rams VBRs Shear Rams Shear Blind Rams (SBR)
5	Valves 3 1/16 " 5,000 psi Manual Gate Valves 3 1/16 " 5,000 psi Hydraulic Double Acting Gate Valves 3 1/16 " 5,000 psi Check Valves



PRESSURE CONTROL EQUIPMENT

Stock Overview

IV. NOV/SHAFFER NXT 18-3/4" 15,000 PSI BOP SYSTEM

Manufactured by OEM with Third Party Certification valid until 2024 in accordance with API 16A for drill through equipment, API 6A for valves and adapters, NACE MR01-75 for H2S exposure, DNV GL OS-E101 and ABS+CDS with API Monogram. Databook available upon request.

Item No	Description
1	18 3/4" 10,000 psi NOV/Shaffer Wedge Cover Spherical BOP
2	18 3/4" 15,000 psi NOV/Shaffer NXT Double RAM BOP w/ 14" Ultralok II Bonnets
3	18 3/4" 15,000 psi NOV/Shaffer NXT Double RAM BOP w/ 14" Ultralok II Bonnets & 1 set of Poslock Bonnets
4	18 3/4" 15,000 psi Rams to Suit (Multiple sizes available) Fixed / Pipe Rams VBRs Shear Blind Rams (SBR)
5	Valves 3 1/16 " 15,000 psi Manual Gate Valves 3 1/16 " 15,000 psi Hydraulic Double Acting Gate Valves 3 1/16 " 15,000 psi Check Valves Any valves and crossovers can be supplied

HELIX OILFIELD SERVICES LTD

ABERDEEN | HOUSTON | ABU DHABI

www.helixoil.com

wellcontrol@helixoil.com



IADC
MEMBER



DECOM
North Sea



PRESSURE CONTROL EQUIPMENT

Stock Overview

V. BLOWOUT PREVENTERS

Line Item	Size	Pressure	Description
1	7-1/16"	5,000 psi	Cameron Type 'D' Annular BOP
2	13-5/8"	5,000 psi	New and Unused Shaffer Spherical BOP
3	13-5/8"	5,000 psi	Hydril Type 'GX' Annular BOP
4	13-5/8"	5,000 psi	Hydril Type 'GK' Annular BOP
5	13-5/8"	10,000 psi	Cameron Type 'DL' Annular
6	13-5/8"	10,000 psi	Cameron Type 'DL' Annular
7	13-5/8"	10,000 psi	New and Unused Cameron Type 'U' Double Ram LBSB BOP
8	13-5/8"	10,000 psi	New and Unused Cameron Type 'U' Single Ram BOP
9	13-5/8"	10,000 psi	Q Cameron Type 'U' Double Ram BOP
10	13-5/8"	10,000 psi	Q Cameron Type 'U' Single Ram BOP
11	13-5/8"	10,000 psi	Cameron Type 'U' Double Ram LBSB BOP with Tandem Booster
12	13-5/8"	10,000 psi	Cameron Type 'U' Single Ram LBSB BOP
13	13-5/8"	10,000 psi	Hydril Double Ram LBSB BOP
14	13-5/8"	10,000 psi	Hydril Type 'GK' Annular BOP
15	13-5/8"	15,000 psi	Cameron Type 'U' Double Ram LBSB BOP with Tandem Booster



PRESSURE CONTROL EQUIPMENT

Stock Overview

16	13-5/8"	15,000 psi	Cameron Type 'U' Single Ram BOP
17	13-5/8"	15,000 psi	T3 Model 6012 Double Ram BOP
18	18-3/4"	5,000 psi	Shaffer Spherical BOP 18-5K x 18-10K
19	18-3/4"	5,000 psi	Hydril Type 'GX' Annular BOP
20	18-3/4"	5,000 psi	Cameron Type 'TL' Single Ram BOP
21	18-3/4"	10,000 psi	Cameron Type 'DL' Annular
22	18-3/4"	10,000 psi	Hydril Double Ram BOP
23	18-3/4"	15,000 psi	Cameron Type 'TL' Double Ram BOP
24	18-3/4"	15,000 psi	Cameron Type 'TL' Double Ram BOP
25	18-3/4"	15,000 psi	Converted: Cameron Type 'TL' Double Ram BOP
26	18-3/4"	15,000 psi	Cameron Type 'TL' Double Ram BOP
27	18-3/4"	15,000 psi	Cameron Type 'TL' Single Ram BOP
28	18-3/4"	15,000 psi	Cameron Type 'TL' Single Ram BOP
29	21-1/4"	5,000 psi	New and Unused Hydril Single Ram BOP
30	21-1/4"	2,000 psi	Shaffer Spherical BOP
31	21-1/4"	2,000 psi	Cameron Type 'U' Double Ram BOP

HOS

PRESSURE CONTROL EQUIPMENT

Stock Overview

32	21-1/4"	2,000 psi	Cameron Type 'U' Single Ram BOP
----	---------	-----------	---------------------------------

VI. RAM BLOCKS

HOS has **over 100 sets** of ram blocks to suit the following BOPS:

- Cameron Type 'U' 13-5/8" 3,000 / 5,000 / 10,000 PSI
- Cameron Type 'U' 21-1/4" 2,000 PSI / 20-3/4" 3,000 PSI
- Cameron Type 'T/TL' 18-3/4" 5,000 / 10,000 PSI
- Cameron Type 'T/TL' 18-3/4" 15,000 PSI
- Shaffer SL/SLX 18-3/4" 10,000 / 15,000 PSI
- Hydril 18-3/4" 10,000 / 15,000 PSI

These are details of our main stacks but the list is not exhaustive. If there is anything not listed which you are interested in for purchase or sale, please send your enquiry to wellcontrol@helixoil.com. As well as our additional stock we have a strong network of contacts which we use to source equipment to meet our clients' needs.

HELIX OILFIELD SERVICES LTD

ABERDEEN | HOUSTON | ABU DHABI

www.helixoil.com

wellcontrol@helixoil.com





PRESSURE CONTROL EQUIPMENT

Stock Overview

VII. ANCILLARY EQUIPMENT

Line Item	Description
1	Blohm & Voss PS-500 Power Slip New and unused hydraulically operated power slips To fit 37 ½" Rotary Table; 2 "3" /"8" to 14" pipe sizes Complete suite of slips, accessories, grease pump and control panel
2	Hitec Drilling Control & Data Acquisition system Driller's control chair with integrated HMI system SCADA based operator monitors (Siemens) Manufactured in compliance with all IEC standards of reference and in compliance with: API RP 551; API RP 554; EN 94/9/EC; 98/37/EEC; 93/68/EEC; DNV 2.7-3; Norsok M-501
3	60-240 Person Accommodation Module with Helideck (DNV certified) 60 cabins with en-suite suitable for multiple arrangements Designed to use minimum deck space and lightweight Pressurised with automatic shutdown, HVAC and climate control Smoke detection & sprinkler system
4	20 Person Offshore A60 Accommodation Modules (ABS certified) 10 Cabin / 20 person per module block with 5 x cabins per level Fully furnished, double cabins with en-suite bathrooms Lightweight with small footprint Pressurised with automatic shutdown, HVAC and climate control Smoke detection & sprinkler system
5	New and Unused Oil States 2K LMRP Subsea Flex Joint Designed and built to API 6A and API 16F ABS CDS and DNV-OS-E101 certified Complete with original Manufacturing Record Book
6	New and Unused Riserless Mud Recovery System RMRS Model 489 includes subsea pump module with spare TOYO pump, BOP mud funnel and heavy-duty pipe with floats and connections
7	DRASS 100 Series Diving System (DNV Certified) Base Line Dive system arrangement: Single Bell 18-man System, 3 Diving Decompression Chambers with port and starboard 18-man Hyperbaric Lifeboat
8	Portable BOP Control System

HOS

PRESSURE CONTROL EQUIPMENT

Stock Overview

Nine-Station and Sized for 13-5/8" Cameron Type 'U' BOP Stack with a Maximum Operator Pressure of 5000 psi for Shear Boost Functions and 3000 psi for Standard Functions complete with two Remote Control Panels and separate containerized Shear Boost Unit certified for use in Zone 1 areas. Manufactured in accordance with API 16D section 4.2.3 and NORSOK D-001. COC and Databook available upon request.

9 Hydraulic Power Unit

For a full specification of any of the above, please contact wellcontrol@helixoil.com. All can be offered for sale or rental.

HELIX OILFIELD SERVICES LTD

ABERDEEN | HOUSTON | ABU DHABI

www.helixoil.com

wellcontrol@helixoil.com



IADC
MEMBER



DECOM
North Sea