



Tubulars

Stock List

I. Drill Pipe

Item No	Description	Condition	Qty	Location
1	5-7/8" VAM CDS Drill Pipe** 23.40ppf, S-135, Range 3 c/w VAM CDS Pin x Box Connections, TK-34P IPC and OTW-12 applied to Box Tool joints by proud application Tool Joint: 7" OD x 4" ID x 14" Pin x 17" Box, 130 KSI <i>Material was manufactured by VAM Drilling in France in accordance with NS-1 latest revision. Full material traceability package included with sale as well as 10% NS-2 receipt inspection and VTI on full balance carried out by NOV Tuboscope Aberdeen division.</i>	New	251 Jts	Aberdeen
2	5-7/8" VAM CDS Landing String** 57.15ppf, 130 KSI, Range 3 c/w VAM CDS Pin x Box Connections, TK-34P IPC, no hardbanding Tool Joint: 7" OD x 4" ID x 20" Pin x 17" Box, 130 KSI <i>Material was manufactured by VAM Drilling in France in accordance with NS-1 latest revision. Full material traceability package included with sale as well as NS-2 inspection and VTI on full balance carried out by NOV Tuboscope Aberdeen division.</i>	New	76 Jts	Aberdeen
3	5-7/8" Tenaris NKK Drill Pipe 23.40ppf, S-135, Range 2 c/w DSTJ 5-1/2" FH Pin x Box Connections, TK-34P IPC and raised application of Duraband NC hardbanding on Box tong space Tool Joint: 7" OD x 4" ID x 11-1/2" Pin x 16" Box, 130 KSI <i>Material was manufactured by Tenaris NKK in Japan in accordance with API Spec 5 and NS-1. Inspected in accordance to NS-2 with Inspection Reports from Tuboscope Aberdeen division.</i>	Premium	638 Jts	Aberdeen
4	5-7/8" Grant Prideco Drill Pipe 26.30ppf, S-135, Range 2 c/w XT-57 Pin x Box Connections, TCS Ti Hardbanding with Smoothedge Feature, TK-34XT IPC Tool Joint: 7" OD x 4-1/4" ID x 12" Pin x 17" Box <i>Material was manufactured by NOV Grant Prideco in USA in accordance with API Spec 5DP.</i>	Premium	50 Jts	Malta
5	5-1/2" Grant Prideco HT55 Drill Pipe	Premium	608 Jts	Aberdeen



Tubulars

Stock List

	<p>24.70ppf, S-135, Range 2 c/w HT55 Connections, TCS TI Hardbanding with Smoothedge Feature Tool Joint: 7" OD x 3-3/4" ID x 12" Pin x 17" Box <i>Material was manufactured by Grant Prideco in USA in accordance with API Spec 5DP. Material traceability package included with sale. Inspected in accordance with NS-2 with inspection report from Tuboscope Aberdeen division.</i></p>			
6	<p>5-1/2" Grant Prideco HT55 Drill Pipe 24.70ppf, S-135, Range 2 c/w HT55 Connections, TCS TI Hardbanding with Smoothedge Feature Tool Joint: 7" OD x 4" ID x 12" Pin x 17" Box <i>Material was manufactured by Grant Prideco in USA in accordance with API Spec 5DP. Inspected in accordance with NS-2 with inspection report from Tuboscope Aberdeen division.</i></p>	Premium	137 Jts	Aberdeen
7	<p>5-1/2" Grant Prideco HT55 Landing String 38ppf, S-135, Range 2 c/w HT55 Connections, Hardbanded <i>Material was manufactured by Grant Prideco in USA. Inspected in accordance with NS-2 with inspection report from Tuboscope Aberdeen division</i></p>	Premium	150 Jts	Aberdeen
8	<p>5" Grant Prideco NC50 Drill Pipe 19.50 ppf, S-135, Range 2 c/w NC50 Connections, Hardbanded w/ IPC <i>Material was manufactured by Grant Prideco in USA. Inspected in accordance with DS 1 Cat 3-5.</i></p>	Premium	240 Jts	Houston
9	<p>3-1/2" VAM Drill Pipe 15.50ppf, G-105, Range 2, c/w NC 38 Pin x Box Connections, TK-34P IPC and TCS TI raise hardbanding on pin and box tool joints. Tool Joint: 5" OD x 2-7/16" ID x 10" Pin x 12-1/2" Box <i>Material was manufactured by VAM Drilling in France in accordance with API 5DP, Material traceability package included with sale.</i></p>	New / Premium	49 Jts	Abu Dhabi
10	<p>3-1/2" Grant Prideco Drill Pipe* 15.50ppf, S-135, Range 2, c/w NC 38 Pin x Box Connections, Handbanded Tool Joint: 5" OD x 2-7/16" ID <i>Material was manufactured by Grant Prideco in USA in accordance with API 5DP.</i></p>	Premium	280 Jts	Dubai



Tubulars

Stock List

II. Hevi-Wate Drill Pipe

Item No	Description	Condition	Qty	Location
1	5-1/2" Grant Prideco Heavy Weight Drill Pipe Range 2 c/w HT55 Connections, Hardbanded and Plastic Coated by Tuboscope <i>Material was manufactured by Grant Prideco in USA. Inspected in accordance with NS-2 with inspection report from Tuboscope Aberdeen division.</i>	Premium	32 Jts	Aberdeen
2	5" Grant Prideco Heavy Weight Drill Pipe Range 2 c/w NC50 Connections <i>Material was manufactured by Grant Prideco in USA.</i>	Premium	15 Jts	Houston
3	5" Grant Prideco Tri-Spiral Weight Drill Pipe Range 2 c/w NC50 Connections <i>Material was manufactured by Grant Prideco in USA.</i>	Premium	3 Jts	Houston
4	5" Grant Prideco Spiral Weight Drill Pipe Range 2 c/w NC50 Connections <i>Material was manufactured by Grant Prideco in USA.</i>	Premium	3 Jts	Houston
5	5" Grant Prideco Heavy Weight Drill Pipe* Range 2 c/w NC50 Connections <i>Material was manufactured by Grant Prideco in USA.</i>	Premium	3 Jts	Houston
6	3-1/2" VAM Heavy Weight Drill Pipe Range 2 c/w NC 38 (3-1/2" IF) Pin x Box Connections, TCS Ti hardbanding on pin and box tooljoints. Tool Joint: 5" OD x 2-1/4" ID x 27" Pin x 25" Box <i>Material was manufactured by VAM Drilling in France in accordance with API Spec 7, Material traceability package included with sale.</i>	New	61 Jts	Abu Dhabi

HELIX OILFIELD SERVICES LTD

ABERDEEN | HOUSTON | ABU DHABI

www.helixoil.com

tubulars@helixoil.com



Tubulars

Stock List

III. Drill Collars

Item No	Description	Condition	Qty	Location
1	8-1/4" Spiral Drill Collars c/w 6-5/8" REG Connections <i>Material was manufactured by NOV Grant Prideco in USA in accordance with API Spec 7.</i>	Premium	18 Jts	Houston
2	6-1/2" Spiral Drill Collars c/w NC50 Connections <i>Material was manufactured by NOV Grant Prideco in USA in accordance with API Spec 7.</i>	Premium	20 Jts	Houston
3	4-3/4" VAM Spiral Drill Collars c/w NC 35 Connections <i>Material was manufactured by VAM Drilling in France in accordance with API Spec 7, Material traceability package included with sale.</i>	New	9 Jts	Abu Dhabi

HELIX OILFIELD SERVICES LTD

ABERDEEN | HOUSTON | ABU DHABI

www.helixoil.com

tubulars@helixoil.com



IADC
MEMBER



DECOM
North Sea



Tubulars

Stock List

IV. Tubing

Item No	Description	Condition	Qty	Location
1	5-1/2" Vacuum Insulated Tubing** 17ppf, L80 c/w 4-1/2" TSH CS Connections, 12.75lbs 12CR85 Internal Liners RTS-8 VIT (with Pin x Box Crossovers and Connections Lift Nubbins) <i>With VTI report from Tuboscope Aberdeen division.</i>	Premium	158 Jts	Aberdeen
2	4-1/2" Vacuum Insulated Tubing** 11.6ppf, L80 c/w 3-1/2" TSH CS Connections, 9.2lbs 13CR85 Internal Liners RTS-8 VIT (with Pin x Box Crossovers and Connections Lift Nubbins) <i>With VTI report from Tuboscope Aberdeen division.</i>	Premium	129 Jts	Aberdeen
3	4-1/2" Tubing 15.50ppf, L80, Range 2, c/w Hydril 533 Connections <i>Inspected in accordance with API 5CT with Inspection Reports from NOV Tuboscope Abu Dhabi.</i>	Premium	37 Jts	Abu Dhabi
4	4-1/2" Tubing 24.00ppf, T95, Range 2, c/w BTS-4 (PH4) Connections <i>Material was manufactured by Texas Steel Conversion in Houston in accordance with API Spec 5CT and PSL-2. Material traceability package included as with sale as well as Inspection reports from Tuboscope Abu Dhabi.</i>	New	447 Jts	Dubai
5	3-1/2" Tubing 15.80ppf, T95, Range 2, c/w WTS-6 (PH6II+) Connections <i>Material was manufactured by Texas Steel Conversion in Houston in accordance with API Spec 5CT and PSL-2. Material traceability package included as with sale as well as Inspection reports from Tuboscope Abu Dhabi.</i>	New / Premium	234 Jts	Dubai

HELIX OILFIELD SERVICES LTD

ABERDEEN | HOUSTON | ABU DHABI

www.helixoil.com

tubulars@helixoil.com



Vacuum Insulated Tubing

Package List

Description
5 1/2" 17# L80 C/W 4 1/2" 12.75# 12CR85 Internal Liner RTS-8
4 1/2" 11.6# L80 C/W 3 1/2" 9.2# 13CR85 Internal Liner RTS-8

Crossover

OD (Inch)	Connection (1)	Connection (2)	Length (ft)
3.125	2 3/8" EUE Box	2 7/8" EUE Pin	2.13
4	3 1/2" TSH CS Box	3 1/2" TSH 533 Pin	2.7
4.5	2 7/8" EUE Pin	3 1/2" TSH PH6 Pin	1.1
4.5	3 1/2" NUE Box	4 1/2" New VAM Pin	1.94
4.5	3 1/2" NUE Pin	4 1/2" New VAM Pin	1.95
4.5	3 1/2" TSH CS Box	3 1/2" TSH PH6 Pin	2.71 – 2.74
4.5	3 1/2" TSH PH6 Box	3 1/2" NUE Pin	1.83 – 1.85
4.5	3 1/2" TSH PH6 Box	MFG Pin	0.9
4.875	4 1/2" New VAM Box	3 1/2" New VAM Pin	2.22
5	3 1/2" TSH 533 Box	4 1/2" TSH CS Pin	2.74 – 2.79
5	3 1/2" TSH PH6 Box	4 1/2" JFF BEAR Pin	1.56
5	4 1/2" TSH CS Box	3 1/2" TSH CS Pin	2.67 – 2.78
5	4 1/2" VAM TOP HT Box	4 1/2" New VAM Pin	2.67
5.5	4 1/2" TSH CS Box	4 1/2" TSH PH4 Pin	2.62
5.5	4 1/2" TSH PH4 Box	4 1/2" TSH CS Pin	2.78
5.625	4 1/2" TSH CS Box	4 1/2" TSH PH4 Pin	2.63
5.625	4 1/2" TSH PH4 Box	4 1/2" TSH CS Pin	2.75 – 2.77
6.125	5 1/2" New VAM Box	4 1/2" TSH CS Pin	2.80 – 2.83
6.5	NC50 Box	3 1/2" TSH CS Pin	2.70 – 2.75
6.5	NC50 Box	4 1/2" TSH CS Pin	2.77

Pup joint

OD (Inch)	Connection (1)	Connection (2)	Length (ft)
3.5	3 1/2" NUE Box	3 1/2" NUE Pin	6.03'
3.5	3 1/2" NUE Box	3 1/2" NUE Pin	6.08
3.5	3 1/2" NUE Pin	3 1/2" NUE Pin	5.63

Lift Nubbin

OD (Inch)	Connection	Length (ft)
6	3 1/2" TSH CS Pin	0.34
6.75	4 1/2" TSH CS Pin	0.34

HOS

Small Rotary Accessories

Manufactured in accordance with NS-1, API Spec 7-1 c/w documentation

Item No	Description
1	5-1/2" Body BOP Test Tool – NC50 Box x HT55 Pin
2	6-5/8" Reg Box x 7-5/8" Reg Pin Crossover Sub
3	7-1/4" X 5" Crossover Sub - NC50 Box x 3-1/2", 12.8 lbs PH6 Pin
4	8-5/8" Reg Box x 7-5/8" Reg Pin Crossover Sub - 29ft Long
5	9-1/2" Crossover Sub - 7-5/8" Reg Box x 7-5/8" Reg Box
6	HT 55 Box x 6-5/8" Full Hole Pin Crossover Sub
7	HT 55 Box x 6-5/8" Reg Pin Crossover Sub
8	HT 55 Box x 7-5/8" Reg Pin Crossover Sub
9	HT 55 Box x NC50 Pin Crossover Sub
10	Steel Bottleneck Crossover Sub c/w 6 5/8" Reg Box X HT55 Pin

Manufactured in accordance with NS-1, API Spec 7-2 c/w documentation

Item No	Description
11	6-5/8" Full Hole Box X 6-5/8" Reg Pin Crossover Sub
12	6-5/8" Full Hole Crossover c/w Boreback x 7-5/8" Reg Pin
13	6-5/8" Full Hole Crossover c/w Boreback x HT55 Pin

Sold as seen

Item No	Description
14	4-1/2" Premium Fibreglass Tubing

HELIX OILFIELD SERVICES LTD

ABERDEEN | HOUSTON | ABU DHABI

www.helixoil.com

tubulars@helixoil.com



IADC
MEMBER



DECOM
North Sea